


COPING WITH *INCONTINENCE*

Although people of all ages have problems with incontinence through no fault of their own, it is a subject rarely discussed. A person may develop incontinence problems during the later stages of dementia due to confusion and memory loss. Urinary and faecal incontinence may be caused by a number of different medical conditions. It is important to seek advice from your doctor when it occurs.

This advice sheet offers practical suggestions which may help to improve or avoid incontinence for a person with dementia.

Having a routine can be helpful

Adequate food and fluid intake is essential. Regular toileting, e.g. two-three-hourly, may be



helpful. Make sure the toilet is actually being used on each visit.

A gentle reminder may be needed

People with dementia may not notice, or may not be able to tell you when their bladder is full, or may start to walk to the toilet then forget their destination.

Use short words and short simple instructions. Watch for non-verbal clues, such as a reaching for the belt, tugging a zipper, restless behaviour or facial expression that may signal distress.

Wash the skin after any accident

It is important to keep the person's skin clean and dry to prevent rashes and sores.

Finding the toilet may be a problem

Leaving the toilet door open and putting a sign or picture of a toilet on the door may be helpful. Paint the toilet door in a bright colour to be easily recognised. It might also be helpful to have the floor and the toilet seat in different colours. Leaving the toilet light on at night may also help the person to find the toilet.

Ensure the person is drinking enough fluids. At least 5-8 drinks each day are needed. Often people with dementia may forget to drink, or will be unaware of being thirsty. Jelly, iceblocks and ice-cream are useful to help increase fluid intake. There is sometimes a tendency to reduce drinks so that accidents will be minimised, but insufficient fluids may lead to infections and smelly urine or constipation.

Clothes which are easily unfastened may help avoid accidents. Track suit trousers or full skirts, and velcro fasteners rather than zips and buttons should be considered. Give assistance with removal of clothing if necessary. Change clothes when they are wet, and try not to let the person become accustomed to wet clothes.

Make sure the toilet is comfortable and easy to use. It may be necessary to install bathroom and toilet aids – ask your doctor about this.

Avoid constipation

Try to establish a regular routine for bowel motions – remembering this may not be every day, as individuals do vary. A warm drink at breakfast, then a visit to the toilet about 30 minutes later works for some. Ensure there is adequate fibre in the diet, i.e. fruit, bran and vegetables. Ensure also that the person drinks water and has regular exercise.

If the person is incontinent at night

Try cutting down on fluids for few hours before bed time. However, make sure 5-8 glasses are drunk during the day. Encourage the person with dementia to use the toilet before going to bed. Make sure there is nothing lying in the pathway to the toilet. If necessary, try putting a commode or urinal beside the bed and/or leaving a night light on. Bedpans, commodes, urinals may be available on refundable deposit and a small weekly charge. Enquire at your local hospital or continence advisory service.



Diuretics

People on diuretics may experience increased urgency and incontinence after the medication is given. Any medication should be discussed with your doctor.

A change in continence may be caused by a bladder infection. Strong smelling urine or a slight fever may indicate this or the person becoming more muddled. Seek assistance from your doctor if this occurs.

Don't cope with an incontinence problem alone. Many carers try to cope alone, refusing to discuss the problem because they are embarrassed or afraid of humiliating the person with dementia, who may be aware of his or her incontinence.

If incontinence is already a problem, contact your local continence services on 0800 650 659 or www.continence.org.nz

Alzheimers New Zealand has a range of information sheets and booklets available for people with dementia, their carers, families and whānau. Alzheimers member organisations located throughout New Zealand provide a variety of services and support to all people affected by dementia. Contact your local organisation on freephone 0800 004 001.

This information sheet provides a general summary only of the subject matter covered and is not a substitute for informed professional advice. Any person with dementia or their carer or family/whānau should seek professional advice about any individual case. Alzheimers New Zealand is not be liable for any error or omission in this publication, as a result of negligence or otherwise. This information sheet was produced in March 2010.

Alzheimers New Zealand – National Office Level 1, 4-12 Cruickshank Street, PO Box 14768, Kilbirnie, Wellington 6241
Phone 04 387 8264 **Facsimile** 04 387 8264 **Web** www.alzheimers.org.nz **Member** Alzheimer's Disease International
Contact your local organisation on freephone 0800 004 001 **Charity registration** CC21026